	PSYCHIATRIC REVIEW TECHNIQUE						
Name	Name SSN						
NH (If	different from above)	SSN					
I.	MEDICAL SUMMARY	,					
	A. Assessment is from:	to					
	B. Medical Disposition(s):						
	1. No Medically Determinable Impairment						
	2. Impairment(s) Not Severe						
	3. Impairment(s) Severe But Not Expected to L	ast 12 Months					
	4. Meets Listing	(Cite Listing)					
	5. Equals Listing	(Cite Listing)					
	6. RFC Assessment Necessary						
	7. Coexisting Nonmental Impairment(s) that Re	quires Referral to Anothe	Medical Specialty				
	8. Insufficient Evidence						
	C. Category(ies) Upon Which the Medical Disposition	s Based:					
	1. 12.02 Organic Mental Disorders						
	2. 12.03 Schizophrenic, Paranoid and Other Ps	ychotic Disorders					
	3. 12.04 Affective Disorders						
	4. 12.05 Mental Retardation						
	5. 12.06 Anxiety-Related Disorders						
	6. 12.07 Somatoform Disorders						
	7. 12.08 Personality Disorders						
	8. 12.09 Substance Addiction Disorders						
	9. 12.10 Autism and Other Pervasive Developr	nental Disorders					
	These findings complete the medical portion of	the disability determinatio	on.				
MC/PC	's Signature		Date				
MC/PC	's Printed Name		Code				

Α.	12.02 Organic Mental Disorders
	Psychological or behavioral abnormalities associated with a dysfunction of the brain as evidenced by at least one of the following:
	1. Disorientation to time and place
	2. Memory impairment
	3. Perceptual or thinking disturbances
	4. Change in personality
	5. Disturbance in mood
	6. Emotional lability and impairment in impulse control
	7. Loss of measured intellectual ability of at least 15 IQ points from premorbid levels or overall impairment index clearly within the severely impaired range on neuropsychological testing, e.g., the Luria-Nebraska, Halstead-Reitan, etc.
	A medically determinable impairment is present that does not precisely satisfy the diagnostic criteria above
	Disorder
	Pertinent symptoms, signs, and laboratory findings that substantiate the presence of this impairment:

Psychotic f	eatures and deterioration that are persistent (continuous or intermittent), as evidenced by at least one wing:
1. Delu	sions or hallucinations
2. Cata	tonic or other grossly disorganized behavior
	herence, loosening of associations, illogical thinking, or poverty of content of speech if associated one of the following:
a	Blunt affect, or
b	Flat affect, or
c. [Inappropriate affect
4. Emo	tional withdrawal and/or isolation
A medically	determinable impairment is present that does not precisely satisfy the diagnostic criteria above.
Disorder _	
Pertinent sv	mptoms, signs, and laboratory findings that substantiate the presence of this impairment:
•	

D	. 12.05 Mental Retardation
	Significantly subaverage general intellectual functioning with deficits in adaptive functioning initially manifested during the developmental period; i.e., the evidence demonstrates or supports onset of the impairment before age 22, with one of the following:
	1. Mental incapacity evidenced by dependence upon others for personal needs (e.g., toileting, eating, dressing, or bathing) and inability to follow instructions such that the use of standardized measures of intellectual functioning is precluded*
	2. A valid verbal, performance, or full scale IQ of 59 or less*
	3. A valid verbal, performance, or full scale IQ of 60 through 70 and a physical or other mental impairment imposing an additional and significant work-related limitation of function*
	4. A valid verbal, performance, or full scale IQ of 60 through 70*
	A medically determinable impairment is present that does not precisely satisfy the diagnostic criteria above.
	Disorder
	Pertinent symptoms, signs, and laboratory findings that substantiate the presence of this impairment:
	Insufficient evidence to substantiate the presence of the disorder (explain in Part IV, Consultant's Notes).
* N	NOTE: Items 1 2 3 and 4 correspond to listings 12 05A 12 05B 12 05C and 12 05D respectively

E. 12.06 Anxiety-Related Disorders
Anxiety as the predominant disturbance or anxiety experienced in the attempt to master symptoms, as evidenced by at least one of the following:
1. Generalized persistent anxiety accompanied by three of the following:
a. Motor tension, or
b. Autonomic hyperactivity, or
c. Apprehensive expectation, or
d. Vigilance and scanning
2. A persistent irrational fear of a specific object, activity or situation which results in a compelling desire to avoid the dreaded object, activity, or situation
3. Recurrent severe panic attacks manifested by a sudden unpredictable onset of intense apprehension, fear, terror, and sense of impending doom occurring on the average of at least once a week
4. Recurrent obsessions or compulsions which are a source of marked distress
5. Recurrent and intrusive recollections of a traumatic experience, which are a source of marked distress
A medically determinable impairment is present that does not precisely satisfy the diagnostic criteria above. Disorder
Pertinent symptoms, signs, and laboratory findings that substantiate the presence of this impairment:
Insufficient evidence to substantiate the presence of the disorder (explain in Part IV, Consultant's Notes).

F. 12.07 Somatoform Disorders
Physical symptoms for which there are no demonstrable organic findings or known physiological mechanisms, evidenced by at least one of the following:
A history of multiple physical symptoms of several years duration beginning before age 30, that have caused the individual to take medicine frequently, see a physician often and alter life patterns significantly
2. Persistent nonorganic disturbance of one of the following:
a. Vision, or
b. Speech,or
c. Hearing, or
d. Use of a limb, or
e. Movement and its control (e.g., coordination disturbances, psychogenic seizures, akinesia, dyskinesia), or
f. Sensation (e.g., diminished or heightened)
3. Unrealistic interpretation of physical signs or sensations associated with the preoccupation or belief that one has a serious disease or injury
A medically determinable impairment is present that does not precisely satisfy the diagnostic criteria above.
Pertinent symptoms, signs, and laboratory findings that substantiate the presence of this impairment:
refunent symptoms, signs, and laboratory infulligs that substantiate the presence of this impairment.
Insufficient evidence to substantiate the presence of the disorder (explain in Part IV, Consultant's Notes).

Inflexible and maladaptive personality traits which cause either significant impairment in social or occur functioning or subjective distress, as evidenced by at least one of the following: 1. Seclusiveness or autistic thinking 2. Pathologically inappropriate suspiciousness or hostility 3. Oddities of thought, perception, speech and behavior 4. Persistent disturbances of mood or affect 5. Pathological dependence, passivity, or aggressivity 6. Intense and unstable interpersonal relationships and impulsive and damaging behavior A medically determinable impairment is present that does not precisely satisfy the diagnostic criteria at Disorder Pertinent symptoms, signs, and laboratory findings that substantiate the presence of this impairment:	_	2.08 Personality Disorders
2. Pathologically inappropriate suspiciousness or hostility 3. Oddities of thought, perception, speech and behavior 4. Persistent disturbances of mood or affect 5. Pathological dependence, passivity, or aggressivity 6. Intense and unstable interpersonal relationships and impulsive and damaging behavior A medically determinable impairment is present that does not precisely satisfy the diagnostic criteria at Disorder		
 3. Oddities of thought, perception, speech and behavior 4. Persistent disturbances of mood or affect 5. Pathological dependence, passivity, or aggressivity 6. Intense and unstable interpersonal relationships and impulsive and damaging behavior A medically determinable impairment is present that does not precisely satisfy the diagnostic criteria at Disorder 	,	. Seclusiveness or autistic thinking
4. Persistent disturbances of mood or affect 5. Pathological dependence, passivity, or aggressivity 6. Intense and unstable interpersonal relationships and impulsive and damaging behavior A medically determinable impairment is present that does not precisely satisfy the diagnostic criteria at Disorder		Pathologically inappropriate suspiciousness or hostility
 Pathological dependence, passivity, or aggressivity Intense and unstable interpersonal relationships and impulsive and damaging behavior A medically determinable impairment is present that does not precisely satisfy the diagnostic criteria at Disorder 	;	Oddities of thought, perception, speech and behavior
6. Intense and unstable interpersonal relationships and impulsive and damaging behavior A medically determinable impairment is present that does not precisely satisfy the diagnostic criteria at	4	Persistent disturbances of mood or affect
A medically determinable impairment is present that does not precisely satisfy the diagnostic criteria at Disorder	ĺ	Pathological dependence, passivity, or aggressivity
Disorder	(Intense and unstable interpersonal relationships and impulsive and damaging behavior
Disorder		
Pertinent symptoms, signs, and laboratory findings that substantiate the presence of this impairment:	[visorder
	F	ertinent symptoms, signs, and laboratory findings that substantiate the presence of this impairment:

H. 12.09 Substance Addiction Disorders
Behavioral changes or physical changes associated with the regular use of substances that affect the central nervous system.
If present, evaluate under one or more of the most closely applicable listings:
1. Listing 12.02-Organic mental disorders*
2. Listing 12.04-Affective disorders*
3. Listing 12.06-Anxiety-related disorders*
4. Listing 12.08-Personality disorders*
5. Listing 11.14-Peripheral neuropathies*
6. Listing 5.05-Liver damage*
7. Listing 5.04-Gastritis*
8. Listing 5.08-Pancreatitis*
9. Listing 11.02 or 11.03-Seizures*
A medically determinable impairment is present that does not precisely satisfy the diagnostic criteria above.
Disorder
Pertinent symptoms, signs, and laboratory findings that substantiate the presence of this impairment:
Insufficient evidence to substantiate the presence of the disorder (explain in Part IV, Consultant's Notes).
*NOTE: Items 1, 2, 3, 4, 5, 6, 7, 8, and 9 correspond to listings 12.09A, 12.09B, 12.09C, 12.09D, 12.09E, 12.09F, 12.09G, 12.09H, and 12.09I, respectively. If items 1, 2, 3, or 4 are checked, only the numbered items in subsections IIA, IIC, IIE, or IIG of the form need be checked. The first block under the disorder heading in those subsections should not be checked, unless the evidence substantiates the presence of the disorder separate from the substance addiction disorder.

□ Qualitative deficits in the development of reciprocal social interaction, in the development of verbal and nonverb communication skills, and in imaginative activity. Often there is a markedly restricted repertoire of activities and interests, which frequently are stereotyped and repetitive. 1. □ Autistic disorder, with medically documented findings of all of the following: a. □ Qualitative deficits in reciprocal social interaction b. □ Qualitative deficits in verbal and nonverbal communication and in imaginative activity c. □ Markedly restricted repertoire of activities and interests 2. □ Other pervasive developmental disorders, with medically documented findings of both of the following: a. □ Qualitative deficits in reciprocal social interaction b. □ Qualitative deficits in verbal and nonverbal communication and in imaginative activity □ A medically determinable impairment is present that does not precisely satisfy the diagnostic criteria above. Disorder □ Pertinent symptoms, signs, and laboratory findings that substantiate the presence of this impairment:	interests, which frequently are stereotyped and repetitive. 1. Autistic disorder, with medically documented findings of all of the following: a. Qualitative deficits in reciprocal social interaction b. Qualitative deficits in verbal and nonverbal communication and in imaginative activity c. Markedly restricted repertoire of activities and interests 2. Qualitative deficits in reciprocal social interaction a. Qualitative deficits in reciprocal social interaction b. Qualitative deficits in verbal and nonverbal communication and in imaginative activity A medically determinable impairment is present that does not precisely satisfy the diagnostic criteria above. Disorder	. 12.10 Autis	tic Disorder and Other Pervasive Developmental Disorders
 a. Qualitative deficits in reciprocal social interaction b. Qualitative deficits in verbal and nonverbal communication and in imaginative activity c. Markedly restricted repertoire of activities and interests 2. Other pervasive developmental disorders, with medically documented findings of both of the following: a. Qualitative deficits in reciprocal social interaction b. Qualitative deficits in verbal and nonverbal communication and in imaginative activity A medically determinable impairment is present that does not precisely satisfy the diagnostic criteria above. Disorder	a. Qualitative deficits in reciprocal social interaction b. Qualitative deficits in verbal and nonverbal communication and in imaginative activity c. Markedly restricted repertoire of activities and interests 2. Qualitative deficits in reciprocal social interaction b. Qualitative deficits in reciprocal social interaction b. Qualitative deficits in verbal and nonverbal communication and in imaginative activity A medically determinable impairment is present that does not precisely satisfy the diagnostic criteria above. Disorder Pertinent symptoms, signs, and laboratory findings that substantiate the presence of this impairment:	communication	on skills, and in imaginative activity. Often there is a markedly restricted repertoire of activities and
b. Qualitative deficits in verbal and nonverbal communication and in imaginative activity c. Markedly restricted repertoire of activities and interests 2. Other pervasive developmental disorders, with medically documented findings of both of the following: a. Qualitative deficits in reciprocal social interaction b. Qualitative deficits in verbal and nonverbal communication and in imaginative activity A medically determinable impairment is present that does not precisely satisfy the diagnostic criteria above. Disorder	b.	1. Autisti	ic disorder, with medically documented findings of all of the following:
c. Markedly restricted repertoire of activities and interests 2. Other pervasive developmental disorders, with medically documented findings of both of the following: a. Qualitative deficits in reciprocal social interaction b. Qualitative deficits in verbal and nonverbal communication and in imaginative activity A medically determinable impairment is present that does not precisely satisfy the diagnostic criteria above. Disorder	c.	а. 🗌	Qualitative deficits in reciprocal social interaction
2. Other pervasive developmental disorders, with medically documented findings of both of the following: a. Qualitative deficits in reciprocal social interaction b. Qualitative deficits in verbal and nonverbal communication and in imaginative activity A medically determinable impairment is present that does not precisely satisfy the diagnostic criteria above. Disorder	2. Other pervasive developmental disorders, with medically documented findings of both of the following: a. Qualitative deficits in reciprocal social interaction b. Qualitative deficits in verbal and nonverbal communication and in imaginative activity A medically determinable impairment is present that does not precisely satisfy the diagnostic criteria above. Disorder Pertinent symptoms, signs, and laboratory findings that substantiate the presence of this impairment:	b. 🗌	Qualitative deficits in verbal and nonverbal communication and in imaginative activity
a. Qualitative deficits in reciprocal social interaction b. Qualitative deficits in verbal and nonverbal communication and in imaginative activity A medically determinable impairment is present that does not precisely satisfy the diagnostic criteria above. Disorder	a. Qualitative deficits in reciprocal social interaction b. Qualitative deficits in verbal and nonverbal communication and in imaginative activity A medically determinable impairment is present that does not precisely satisfy the diagnostic criteria above. Disorder Pertinent symptoms, signs, and laboratory findings that substantiate the presence of this impairment:	с. 🗌	Markedly restricted repertoire of activities and interests
b. Qualitative deficits in verbal and nonverbal communication and in imaginative activity A medically determinable impairment is present that does not precisely satisfy the diagnostic criteria above. Disorder	b. Qualitative deficits in verbal and nonverbal communication and in imaginative activity A medically determinable impairment is present that does not precisely satisfy the diagnostic criteria above. Disorder Pertinent symptoms, signs, and laboratory findings that substantiate the presence of this impairment:	2. Other	pervasive developmental disorders, with medically documented findings of both of the following:
A medically determinable impairment is present that does not precisely satisfy the diagnostic criteria above. Disorder	A medically determinable impairment is present that does not precisely satisfy the diagnostic criteria above. Disorder Pertinent symptoms, signs, and laboratory findings that substantiate the presence of this impairment:	а. 🗌	Qualitative deficits in reciprocal social interaction
Disorder	Pertinent symptoms, signs, and laboratory findings that substantiate the presence of this impairment:	b. 🗌	Qualitative deficits in verbal and nonverbal communication and in imaginative activity
	Pertinent symptoms, signs, and laboratory findings that substantiate the presence of this impairment:	A medically o	leterminable impairment is present that does not precisely satisfy the diagnostic criteria above.
Pertinent symptoms, signs, and laboratory findings that substantiate the presence of this impairment:		Disorder	
		Pertinent sym	ptoms, signs, and laboratory findings that substantiate the presence of this impairment:
	Insufficient evidence to substantiate the presence of the disorder (explain in Part IV, Consultant's Notes).	·	
	☐ Insufficient evidence to substantiate the presence of the disorder (explain in Part IV, Consultant's Notes).		
	Insufficient evidence to substantiate the presence of the disorder (explain in Part IV, Consultant's Notes).		
	Insufficient evidence to substantiate the presence of the disorder (explain in Part IV, Consultant's Notes).		
	Insufficient evidence to substantiate the presence of the disorder (explain in Part IV, Consultant's Notes).		
	Insufficient evidence to substantiate the presence of the disorder (explain in Part IV, Consultant's Notes).		
	Insufficient evidence to substantiate the presence of the disorder (explain in Part IV, Consultant's Notes).		
	Insufficient evidence to substantiate the presence of the disorder (explain in Part IV, Consultant's Notes).		
	Insufficient evidence to substantiate the presence of the disorder (explain in Part IV, Consultant's Notes).		
	Insufficient evidence to substantiate the presence of the disorder (explain in Part IV, Consultant's Notes).		
	☐ Insufficient evidence to substantiate the presence of the disorder (explain in Part IV, Consultant's Notes).		
	Insufficient evidence to substantiate the presence of the disorder (explain in Part IV, Consultant's Notes).		
	Insufficient evidence to substantiate the presence of the disorder (explain in Part IV, Consultant's Notes).		
	Insufficient evidence to substantiate the presence of the disorder (explain in Part IV, Consultant's Notes).		
	Insufficient evidence to substantiate the presence of the disorder (explain in Part IV, Consultant's Notes).		
	Insufficient evidence to substantiate the presence of the disorder (explain in Part IV, Consultant's Notes).		
	Insufficient evidence to substantiate the presence of the disorder (explain in Part IV, Consultant's Notes).		
	Insufficient evidence to substantiate the presence of the disorder (explain in Part IV, Consultant's Notes).		

degree the following fur d 12.10 and paragraph D					
below is more than a matrice tions for this section.	measure of fre	quency and dura	ation. See 12.	.00C4 and also	read carefully
g(s) (i.e., 12.02 through	gh 12.10) unde	er which the item	ns below are I	being rated	
TIONAL ATION	Γ	DEGREE OF LIN	MITATION		
Activities No	None Mild	Moderate	Marked*	Extreme*	Insufficien Evidence
Maintaining No oning	None Mild	Moderate	Marked*	Extreme*	Insufficien Evidence
Maintaining No n, Persistence,	None Mild	Moderate	Marked*	Extreme*	Insufficien Evidence
Decompensation, No nded Duration	None	One or Two	Three*	Four* or More	Insufficien Evidence
	*Degree of	limitation that satisfi	ies the functional	criterion.	
	*Degree of	limitation that satisfi	ies the functional	criterion.	

B. ''C'' Criteria of the Listings
Complete this section if 12.02 (Organic Mental), 12.03 (Schizophrenic, etc.), or 12.04 (Affective) applies and the requirements in paragraph B of the appropriate listing are not satisfied.
NOTE: Item 1 below is more than a measure of frequency and duration. See 12.00C4 and also read carefully the instructions for this section.
Medically documented history of a chronic organic mental (12.02), schizophrenic, etc. (12.03), or affective (12.04) disorder of at least 2 years' duration that has caused more than a minimal limitation of ability to do any basic work activity, with symptoms or signs currently attenuated by medication or psychosocial support, and one of the following:
1. Repeated episodes of decompensation, each of extended duration
A residual disease process that has resulted in such marginal adjustment that even a minimal increase in mental demands or change in the environment would be predicted to cause the individual to decompensate
3. Current history of 1 or more years' inability to function outside a highly supportive living arrangement with an indication of continued need for such an arrangement
Evidence does not establish the presence of the "C" criteria
Insufficient evidence to establish the presence of the "C" criteria (explain in Part IV, Consultant's Notes).
Complete this section if 12.06 (Anxiety-Related) applies and the requirements in paragraph B of listing 12.06 are not satisfied.
Complete inability to function independently outside the area of one's home
Evidence does not establish the presence of the "C" criterion
Insufficient evidence to establish the presence of the "C" criterion (explain in Part IV, Consultant's Notes).

IV.	CONSULTANT'S NOTES

Section 223 and section 1633 of the Social Security Act authorize the information requested on this form. The information provided will be used in making a decision on this claim. Completion of this form is mandatory in disability claims involving mental impairments. Failure to complete this form may result in a delay in processing the claim. Information furnished on this form may be disclosed by the Social Security Administration to another person or governmental agency only with respect to Social Security programs and to comply with federal laws requiring the exchange of information between Social Security and another agency.

We may also use the information you give us when we match records by computer. Matching programs compare our records with those of other Federal, State, or local government agencies. Many agencies may use matching programs to find or prove that a person qualifies for benefits paid by the Federal government. The law allows us to do this even if you do not agree to it.

Explanations about these and other reasons why information about you may be used or given out are available in Social Security offices. If you want to learn more about this, contact any Social Security office.

Paperwork Reduction Act Statement - This information collection meets the requirements of 44 U.S.C. § 3507, as amended by Section 2 of the Paperwork Reduction Act of 1995. You do not need to answer these questions unless we display a valid Office of Management and Budget control number. We estimate that it will take about 15 minutes to read the instructions, gather the facts, and answer the questions. SEND THE COMPLETED FORM TO YOUR LOCAL SOCIAL SECURITY OFFICE. The office is listed under U. S. Government agencies in your telephone directory or you may call Social Security at 1-800-772-1213. You may send comments on our time estimate above to: SSA, 1338 Annex Building, Baltimore, MD 21235-0001. Send only comments relating to our time estimate to this address, not the completed form.